

TECHNICAL INFORMATION

AW435IU Sephora



Inground Up
Fixable

Application Description:

- Inground/Surfaced Mounted, Adjustable
- External Areas, Landscaping
- Footpaths, Driveways, Parks, Pathways, Planter Areas, Landscaping Perimeters, Wall Uplighting Grazer Applications

| | |
|---------------------|---|
| Product Name | SEPHORA |
| Description | Extendable, Trimless Connection, Inground LED Linear Luminaire with Integral Driver |
| Material | High Corrosion Resistance (500hrs salt spray), Extruded Aluminium, Die-cast Aluminium Housing, Strengthened Tempered Glass Diffuser Bearing Weight 500kg, Cool to Touch, Fire Resistant Silicon Gaskets |
| Dimensions | Length: 900mm; Width: 28mm; Base Width: 100; Depth: 120mm |
| Details | 10W SMD LED, 3000K/4000K/5000K available, CRI>80, Beam Angle: 24°, 1215 Luminaire Luminous Flux @ 4000K 24deg |
| IP Rating | IP67 |
| IK Rating | IK10 |
| Installation | Inground |
| Driver | Integral Driver |

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

ORDER CODE


AW435IU-(Temperature)-(Beam Angle)-(Dimming)

Example: AW435IU-3K-24°-ND

Options:


| Temperature | Beam Angle | Dimming |
|-------------------|-------------------------|---------------------|
| 3K (3000K) | 24° (Clear Lens) | ND (Non-Dim) |
| 4K (4000K) | | |
| 5K (5000K) | | |
| | | |

Dimensions Line Diagram:



Photometrics (24 Degree Beam and Frosted Lens)

Luminous emittance 1 / Polar LDC




We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

Application Photos:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwelllighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwelllighting.com