

TECHNICAL INFORMATION

AW5050MTFC Seamless



Surface Mounted
Fixed

Application Description:

- Surface Mounted, Fixed
- Internal Areas; Durable Linear Lighting Requirement
- Commercial Offices, Kitchen and Bathroom Joinery, Ceiling Alcoves, Floor Skirting, Above and Below Cabinetry, Handrails, Under Seating, Product Display Shelving Applications

Product Name	SEAMLESS
Description	Cabinetry or Alcove Linear Extrusion, Utilising PCB LED Technology for Superior Durability, Frosted Acrylic Diffuser, 24V, Available with Aluminium Mounting Clips, Custom Cut to Length
Material	Extruded Pure Aluminium Channel, Frosted Acrylic Diffuser, Aluminium Mounting Clips
Dimensions	Width: 17mm; Height: 11mm; Allowance for Clip: 19mm x 15mm
Driver	Remote 24V Driver
Details	14.4W/m SMD LED, 3000K/4000K/RGB10W/m Available, Beam Angle: 120°, CRI>80, 590 Luminaire Luminous Flux @ 3000K
IP Rating	IP44
IK Rating	IK05
Installation	Surface Mounted

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

ORDER CODE

AW5050MTFC-(Temperature)-(Length)-(Dimming)


Example: AW5050MTFC-3K-1550-ND

Options:


Temperature	Length	Dimming
3K (3000K)	0.5m	ND (Non-Dim)
4K (4000K)	1m	
RGB (RGB)	1.5m	
	2.0m	
	Custom (per 50 mm)	

Dimensions Line Diagram:

*Custom / standard lengths



Photometrics:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

Product Application Photos:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com