

TECHNICAL INFORMATION

AW540SD Eutherios 15



Surface Mounted
Fixed

Application Description:

- Surfaced Mounted, Fixed
- Internal/External Areas; Low Glare Requirements
- Residential Living, Sheltered Balconies/Patios, Corridors, Aged Care and Hospital Buildings, Retail and Hospitality, Commercial Offices, Showrooms and Galleries, Shopping Center Applications

| | |
|-----------------------|--|
| Product Name | EUTHERIOS 15 |
| Description | Cylindrical, High Reflectancy, Low Glare, Ceiling Mounted LED Luminaire |
| Material | Mirror/White/Black Reflector Options. Total Internal Reflection Faceted Polycarbonate Reflector, Die-cast Aluminium Body |
| Dimensions | Height: 150mm; Diameter: 76mm |
| Driver Details | 15W COB LED, 2700K/3000K/4000K/5000K Available, CRI >80, Beam Angle: 15/30/45°, 1136 Luminaire Luminous Flux @ 3000K 30° |
| IP Rating | IP44 |
| IK Rating | IK04 |
| Installation | Ceiling Mounted |
| Driver | Integral LED Driver |

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

ORDER CODE


AW540SD-(Colour Finish)-(Baffle Options)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW540SD-WH-3K-30°-ND

Options:


| Colour Finish | Baffle Options | Temperature | Beam Angle | Dimming |
|---------------|----------------------|--------------|------------|--------------|
| WH (White) | WH (White Baffle) | 2.7K (2700K) | 15° | ND (Non-Dim) |
| BK (Black) | BK (Black Baffle) | 3K (3000K) | 30° | PH (Phase) |
| | MR (Mirrored Baffle) | 4K (4000K) | 45° | 11 (1-10V) |
| | | 5K (5000K) | | DD (DALI) |

Dimensions Line Diagram:



Photometrics:

45°/3000K/Ra90



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

Baffle Options:

B



Black

W




White

M



Mirror

Application Photo:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com