AW6307-1EW Legatus

Wall Mounted
Fixed

Application Description:

- Wall Mounted, Fixed
- Interior and Exterior Areas; Higher Ambient Lux Level Requirements
- Residential Areas with High Walls, Commercial Offices, Lobby Entries, Retail and Hospitality, Shopping Centers, Education and Medical Buildings, Transport Facilities, Storages and Warehouses, Airport Applications

Product Name	**LEGATUS**
Description	Exterior, High Powered, Square, Vandal Resistant, Up and Down, Wall Mounted, LED Luminaire with Integral Driver
Material	Die Cast Corrosion Resistant Aluminium Body, Powder coated for Outdoor Use, Clear Tempered Glass Diffuser, Silicone Rubber Gasket
Dimensions	Height: 170mm; Width: 140mm; Projection: 168mm
Driver Details	Integral LED Driver 2 x 20W COB LED, 3000K or 4000K, 36° Beam, CRI>80, 2700 Luminaire Luminous Flux @ 3000K
IP Rating	IP65
IK Rating	IK08
Installation	Wall Mounted

ORDER CODE

AW6307-1EW-(Colour Finish)-(Temperature)-(Dimming)

Example: AW6307-1EW-BK-3K-ND

Options:

Colour Finish	Temperature	Dimming
BK (Black)	**3K** (3000K)	**ND** (Non-Dim)
GR (Grey)	**4K** (4000K)	

Dimensions Line Diagram:



Photometrics:





Product Application Photos: