

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW552SD TYANA 25

APPLICATION AREA



Aged Care



Child Care



Corridors



Galleries and Museums



Commercial



Hospitals and Medical



Hospitality



Residential



Hotels



Shopping Centers



Retail



Sports Centers



Manufacturing and
Warehousing



Wall Displays



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PRODUCT NAME	
TYANA 25	
Description	Rectangular High Reflectance, Low Glare, Ceiling Mounted LED Luminaire Internal / External Areas: Low Glare Requirements
Materials	Mirror / White / Black Reflector Options. Total Internal Reflection Faceted Polycarbonate Reflector, Die-Cast Aluminium Body
Dimensions	Height: 150mm; Width: 116mm
Driver	Integral LED Driver
Luminaire Details	25W COB LED, 2700K/3000K/4000K/5000K, CRI>91, Beam Angle: 15°/30°/45°, SDCM<3, UGR<18, 3130 Lumens, 2730 Luminaire Luminous Flux at 3000K 30°. Efficacy: 125Lm/W
Ratings	IP44 IK04
Rated Life	5yr Warranty L80 B10: 72,000hrs <i>Environmentally Sustainable Replaceable LED Module</i> <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Ceiling Mounted

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative


ORDER CODE

AW552SD-(Colour Finish)-(Baffle Options)-(Temperature)-(Beam Angle)-(Dimming)
Example: AW552SD-BK-BK-2.7K-15°-DALI

OPTIONS

Colour Finish	Baffle Options	Temperature	Beam Angle	Dimming
WH (White)	WH (White Baffle)	2.7K (2700K)	15°	ND (Non-Dim)
BK (Black)	BK (Black Baffle)	3K (3000K)	30°	PH (Phase-Dim)
	MR (Mirrored Baffle)	4K (4000K)	45°	DD (DALI-Dim)
		5K (5000K)		

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

BAFFLE OPTIONS

W



White

B



Black

M



Mirror

PRODUCT APPLICATION PHOTOS

