


ACTWELL

LIGHTING



TECHNICAL INFORMATION

AW6411W ALEXANDRITE 18

APPLICATION AREA



Aged Care



Child Care



Commercial



Educational Facilities



Hospitals



Residential



Hotels



Hospitality



Shopping Centers



Retail



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
ALEXANDRITE 18	
Description	Wall Mounted Linear Light with Adjustable LED Tilttable Reflector Bar for Up, Outwards and Down Lighting Applications
Materials	Aluminum Powder Coated Extruded Body with Anti-Glare PMMA Optical Diffuser, Steel Wall Mounting Plate
Dimensions	Length: 600mm; Depth: 100mm; Height: 40mm
Driver	Integral LED Driver Remote DALI Driver
Luminaire Details	18W, 2835 SMD LED, 2700K/3000K/4000K Available, UGR<19, CRI>90, Beam Angle: 112°, 1580 Lumens, 1240 Luminaire Luminous Flux at 3000K. Lumen Efficacy: 88 Lm/W
Ratings	IP44 IK05
Rated Life	5yr Warranty L80 B10: 70,000hrs <i>Environmentally Sustainable Replaceable LED Module</i> <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Wall Mounted

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE


AW6411IW-(Colour Finish)-(Temperature)-(Dimming)

Example: AW6411IW-WH-3K-ND

OPTIONS


Colour Finish	Temperature	Dimming
WH (White)	2.7K (2700K)	ND (Non-Dim)
BK (Black)	3K (3000K)	PH (Phase-Dim)
	4K (4000K)	DD (DALI-Dim)

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PRODUCT INSTALLATION



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative