

ACTWELL

LIGHTING



TECHNICAL INFORMATION

AW9681PLR ETHEREAL 1200

APPLICATION AREA



Aged Care



Child Care



Commercial



Educational Facilities



Sports Centers



Hospitals & Medical



Shopping Centers



Galleries and Museums



Hotels



Residential



Retail



Corridors



Restrooms



Infrastructure



Transportation



Library



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
ETHEREAL 1200	
Description	Low Profile Rectangular Recessed LED Luminaire Utilising Patented Thin Film Transistor Technology Interior Areas: Wide and Even Light Coverage Requirements
Materials	Die Cast Aluminium Trim and Body, Powder coated Matt Finish, Aluminium Heat Sink, Patented Thin Film Transistor, PMMA Opal Diffuser
Dimensions	Length: 1196mm, Width: 146mm, Height: 40mm Cut out: 1182mm x 132mm
Driver	Remote LED Driver
Luminaire Details	40W SMD LED, 3000K/4000K/5000K Available, CRI>90, Beam Angle: 110°, SDCM<3, UGR<19. 4400 Lumens, 3900 Luminaire Luminous Flux at 4000K. Lumen Efficacy: 110Lm/W.
Ratings	IP44 IC-4 IK07
Rated Life	5yr Warranty L80 B10: 72,000hrs <i>Environmentally Sustainable Replaceable LED Module</i> <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Recessed

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE

AW9681PLR-(Colour Finish)-(Temperature)-(Dimming)

Example: AW9681PLR-WH-3K-ND

OPTIONS

Colour Finish	Temperature	Dimming
WH (White)	3K (3000K)	ND (Non-Dim)
BK (Black)	4K (4000K)	PH (Phase-Dim)
	5K (5000K)	DD (DALI-Dim)


DIMENSION LINE DIAGRAM



 1182 x 132

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PHOTOMETRICS



PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative