

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW9801SD OASIS R11

APPLICATION AREA



Aged Care



Child Care



Corridors



Hospitals and Medical



Commercial



Residential



Hospitality



Shopping Centers



Hotels



Sports Centers



Retail



Manufacturing and Warehousing



Offices



Educational Facilities



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
OASIS R11	
Description	Cyanosis Approved High CRI Option, Low Profile, Round Wide Distribution, Surface Mounted, LED Luminaire, Utilising Patented Thin Film Transistor Technology, Internal Areas; Wide and Even Light Coverage, Unrecessable Areas, Low Glare Requirements
Materials	Die Cast Aluminium Trim and Body, Powder coated Matt Finish, Aluminium Heat Sink, Patented Thin Film Transistor, PMMA Opal Diffuser
Dimensions	Diameter: 180mm; Height: 39mm
Driver	Integral LED Driver
Luminaire Details	11W SMD LED, 2700K/3000K/4000K/6500K Available, CRI>90/97, Beam Angle: 120°, SDCM<3, UGR<16, 1170 Lumens, 995 Luminaire Luminous Flux at 3000K. Lumen Efficacy: 105Lm/W
Ratings	IP44 IK06
Rated Life	5yr Warranty LM80 B10: 72,000 hrs <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Surface Mounted

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE


AW9801SD-(Colour Finish)-(Temperature)-(Dimming)

Example: AW9801SD-WH-3K-ND

OPTIONS


Cyanosis Options	Colour Finish	Temperature	Dimming
Replace 'RD' with 'CYN'	WH (White)	2.7K (2700K)	ND (Non-Dim)
	BK (Black)	3K (3000K)	PH (Phase-Dim)
		4K (4000K)	11 (1-10V Dim)
		6.5K (6500K)	DD (DALI-Dim)

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PHOTOMETRICS



PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative