

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW9912RD EVIE R30

APPLICATION AREA



Aged Care



Child Care



Child Care



Commercial



Educational Facilities



Hospitals and Medical



Infrastructure



Manufacturing and Warehousing



Shopping Centers



Sports Centers



Ceiling Soffits



Corridors



Hotels



Residential



Retail



Balconies



Patio



Wet Areas



Park and Public Spaces



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
EVIE R30	
Description	IP66 Weatherproof, Trimless Edge, Low Height, Round Recessed LED Downlight, Fixed Internal and External Areas: Wide and Even Light Coverage, Low Ceiling Space Requirements. Option Ceiling Mount Box.
Materials	Die cast Aluminium Body, Acrylic Opal Diffuser
Dimensions	Diameter: 215mm; Height: 20mm; Cut Out: 195mm
Driver	Remote 1000mA LED Driver
Luminaire Details	30W SMD LED, 2700K/3000K/3500K/4000K/5000K Available, Beam Angle: 120°, CRI>90, SDCM<3, UGR<19, 3360 Lumens, 2230 Luminaire Luminous Flux at 3000K. Lumen Efficacy: 112 Lm/W
Ratings	IP66 IC-4 IK08
Rated Life	5yr Warranty L80 B10: 72,000hrs <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Recessed, Ceiling Mount (using Surface Mount Kit)

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE


AW9912RD-(Temperature)-(Mounting)-(Dimming)

Example: AW9912RD- 3K-RC-ND

OPTIONS


Temperature	Mounting	Dimming
2.7K (2700K)	Recessed (RC)	ND (Non-Dim)
3K (3000K)	Surface Mounted (SM)	PH (Phase-Dim)
3.5K (3500K)		DD (DALI-Dim)
4K (4000K)		
5K (5000K)		

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PHOTOMETRICS




ACCESSORIES



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative