

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW52RD ETHOS

APPLICATION AREA



Aged Care



Carpark



Child Care



Commercial



Educational Facilities



Hospital and Medical



Shopping Centers



Sports Centers



Galleries and Museums



Residential



Ceiling Soffits



Retail



Retail



Hotels



Wet Area



Restroom



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwelllighting.com.au

PRODUCT NAME	
ETHOS	
Description	<p>IP44 Rated Water and Dust Protection, Deep Baffle, Low Profile, Anti-Glare, Fixed, Recessed, LED Downlight</p> <p>Internal/External Areas: Wet Areas, High CRI, Low Glare Requirements</p>
Material	<p>Aluminium Trim and Body, PMMA Parabolic Reflector, Semi Diffused Anti-Glare Lens, Custom Engineered Aluminium Heat Sink, Recessing Clips</p>
Dimension	<p>Diameter: 80mm; Height: 66mm; Cut Out: 75mm</p>
Driver	<p>200mA or 225mA Remote LED Driver</p>
Luminaire Details	<p>7W or 10W, 2700K/3000K/4000K Available, CRI>90, SDCM<3, UGR<19, Beam Angle: 36°/50°, 780 Lumens or 1100 Lumens, 710 or 996 Luminaire Luminous Flux @ 3000K.</p> <p>Lumen Efficacy: 110Lm/W</p>
Ratings	<p>IP44 IC-4 IK06</p>
Rated Life	<p>5yr Warranty LM80 B10: 60,000 hrs</p> <p><i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i></p>
Installation	<p>Recessed</p>

Actwell Trading reserves the right to make revisions and updates.
 If you have any enquiries please consult an Actwell Lighting Representative


ORDER CODE

AW52RD-(Colour Finish)-(Wattage)-(Temperature)-(Beam Angle)- (Dimming)
Example: AW52RD-WH-10W-3K-50°-ND

OPTIONS


Colour Finish	Wattage	Temperature	Beam Angle	Dimming
WH (White)	7W (7 Watt)	2.7K (2700K)	36°	ND (Non-Dim)
BK (Black)	10W (10 Watt)	3K (3000K)	60°	PH (Phase-Dim)
		4K (4000K)		DD (DALI-Dim)

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PHOTOMETRICS



PRODUCT APPLICATION PHOTOS



V1

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative