

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW384SD TAJIMA SM 5

APPLICATION AREA



Aged Care



Child Care



Galleries and Museums



Hospitality



Hospitals and Medical



Hotels



Residential



Retail



Shopping Centers



Corridors



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
TAJIMA SM 5	
Description	Multi-Faceted, Miniature, Linear Surface Mounted LED Luminaire- Available with Different Reflector Colour Options. Interior Areas; Unobtrusive, Decorative and Linear Applications
Materials	Die-Cast Aluminium Body and Base, Artificial Marble Trim, PMMA Baffle and Lens
Dimensions	Length: 195mm, Width: 43mm, Height: 66mm
Driver	Remote 225mA LED Driver
Luminaire Details	10W COB LED, 2700K/3000K/3500K/4000K, CRI>90, Beam Angle: 15°/24°/36°, SDCM<3, UGR<18, 890 Lumens, 780 Luminaire Luminous Flux at 3000K 24°. Efficacy: 90Lm/W
Ratings	IP44 IK07
Rated Life	5yr Warranty L80 B10: 68,000hrs <i>Environmentally Sustainable Replaceable LED Module</i> <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Ceiling Mounted

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE


AW384SD-(Colour Finish)-(Baffle Options)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW384SD-BK-BK-2.7K-15°-DALI

OPTIONS


Colour Finish	Baffle Options	Temperature	Beam Angle	Dimming
WH (White)	WH (White Baffle)	2.7K (2700K)	15°	ND (Non-Dim)
BK (Black)	BK (Black Baffle)	3K (3000K)	24°	PH (Phase-Dim)
		3.5K (3500K)	36°	DD (DALI-Dim)
		4K (4000K)		

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative