


TECHNICAL INFORMATION

AW9670PT Zetaris R



Suspended
Adjustable

Application Description:

- Suspended, Adjustable
- Internal Areas; Suspended and Adjustable Tilt Requirement
- Residential Living, Commercial Offices, Retail and Hospitality, Shopping Centres, Aged Care and Educational Building Applications

Product Name **ZETARIS R**

Description	Cylindrical, Ceiling Mounted, Adjustable Head LED Luminaire
Material	Die Cast Aluminium Housing, Pure Aluminium Reflector, Polycarbonate Lens Diffuser, Steel Sheet Mounting Plate, Wire Suspension Cables
Dimensions	Diameter: 125mm; Height: 152mm; Suspension Max: 1500mm
Driver	Integral LED Driver
Details	15W COB LED, 3000K/4000K available, 36° Beam, CRI>80, 1050 Luminaire Luminous Flux @ 3000K
IP Rating	IP20
Installation	Suspended

We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

TECHNICAL INFORMATION

ORDER CODE


AW9670PT-(Colour Finish)-(Temperature)-(Dimming)

Example: AW9670PT-WH-3K-ND


Options:

Colour Finish	Temperature	Dimming
WH (White)	3K (3000K)	ND (Non-Dim)
BK (Black)	4K (4000K)	PH (Phase)
		11 (1-10V)

Dimensions Line Diagram:



Dimensions Line Diagram:



We reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au

34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com

Product Application Photos:



we reserve the right to make technical changes.

Should you have any enquiries, please consult an Actwell representative. Email: sales@actwellighting.com.au
34 Mary Parade | Rydalmere NSW 2116 | Australia | T +61 2 9638 3333 | www.actwellighting.com