

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW150HB HIGHBAY 150

APPLICATION AREA



Carparks



Manufacturing and
Warehousing



Shopping Centers



Infrastructure



Transportation



Hangars



Sports Centres



Wet Areas



Industry



Commercial



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwelllighting.com.au

PRODUCT NAME	
HIGHBAY 150	
Description	<p>Experience versatility in lighting with the Highbay Series, the ideal lighting solution for multiple applications. The Highbay luminaire features advanced technology and superior construction, providing bright and reliable illumination for high-ceiling applications such as warehouses, factories, and high output areas</p> <p>The luminaire comes equipped with built-in power output and Tri-Colour Temperature selectable options</p>
Materials	Explosion and Weatherproof Die-Cast Aluminium, PVC Diffuser Design
Dimensions	Diameter: 280mm; Height: 145mm
Driver	Integral LED Driver
Luminaire Details	75W/110W/150W SMD LED Selectable Built-in Options, 3000K/4500K/6500K Tricolour Options Available, CRI>80, SDCM<3, UGR<19, Lumen Efficacy: 145Lm/W, 19500 Luminaire Luminous Flux at 150W 4500K.
Ratings	IP65 IK10 PF>0.95
Rated Life	<p>5yr Warranty LM80 B10: 55,000 hrs</p> <p><i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i></p>
Installation	Suspended

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwelllighting.com.au

ORDER CODE


AW150HB-(Wattage Built-in Selectable)-(Tri-Colour Temperature Built-in Selectable)

Example: AW150HB-75W-3K-ND

OPTIONS

Wattage	Temperature	Dimming
75 (75W)	3K (3000K)	ND (Non-Dim)
110 (110W)	4.5K (4500K)	
150 (150W)	6.5K (6500K)	

DIMENSION LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwelllighting.com.au

PRODUCT APPLICATION PHOTOS

