

ACTWELL

LIGHTING



TECHNICAL INFORMATION
AW6330-1EW AETHON

APPLICATION AREA



Commercial



Educational Facilities



Hospitals and Medical



Hospitality



Residential



Hotels



Retail



Balconies



Building Wall Perimeters



Corridors



Wet Areas



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative



34 Mary Parade
Rydalmere NSW 2116 Australia



+61 2 9638 3333



enquiries@actwellighting.com.au

PRODUCT NAME	
AETHON	
Description	Superior High Output Wall Luminaire. Robust and Built to Last. The Aethon is a 3 rd Generation Luminaire unmatched in design. Weatherproof, high corrosion resistance and impact rating. With a Colour Selection of inner Baffle Rings.
Materials	Die-Cast Aluminium Body & Frame with Anti-Ageing and UV Protected Powder coat and Pre-treated for External Use, PC Inner Baffle, Clear Strengthened and Tempered Glass Cover
Dimensions	Height: 400mm; Diameter: 200mm; Projection: 231mm
Driver	Integral LED Driver
Luminaire Details	2x40W COB LED, 2700K/3000K/4000K/5700K Available, Beam Angle: 25°/36°/60°, UGR<19, CRI>90, SDCM<3, 8480 Lumens, 7380 Luminaire Luminous Flux at 4000K 36°.
Ratings	IP65 IK08
Rated Life	5yr Warranty LM80 B10: 72,000 hrs <i>Environmental Impact: Luminaire > 95% Recyclable, Fitting Under Actwell Revitalisation Program to Refit Parts to End Waste</i>
Installation	Wall Mounted

Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

ORDER CODE


AW6330-1EW-(Colour Finish)-(Baffle)-(Temperature)-(Beam Angle)-(Dimming)

Example: AW6330-1EW-BK-SL-3K-60°-ND

OPTIONS


Colour Finish	Baffle Colour	Temperature	Beam Angle	Dimming
WH (White)	SL (Silver)	2.7K (2700K)	25°	ND (Non-Dim)
BK (Black)	GD (Gold)	3K (3000K)	36°	DD (DALI-Dim)
		4K (4000K)	60°	
		5.7K (5700K)		

DIMENSIONS LINE DIAGRAM



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative

PHOTOMETRICS



PRODUCT APPLICATION PHOTOS



Actwell Trading reserves the right to make revisions and updates.
If you have any enquiries please consult an Actwell Lighting Representative